

- ۶- معاون دبیر ستاد زیست فناوری معاونت علمی فناوری ریاست جمهوری
- ۷- رئیس گروه آموزش، ترویج و سرمایه انسانی ستاد زیست فناوری، معاونت علمی و فناوری ریاست جمهوری
- ۸- دبیر (بخش آزمون) هیات ممتحنه و ارزشیابی رشته های تخصصی بیوتکنولوژی پزشکی و پزشکی ملکولی
- ۹- معاون امور بین الملل دانشگاه
- ۱۰- قائم مقام پژوهشگاه علوم پزشکی
- ۱۱- رئیس دانشکده و پژوهشکده علوم پایه
- ۱۲- مدیر گروه میکروب شناسی و ویروس شناسی پزشکی
- ۱۳- مدیر مسئول یا عضو هیات تحریریه بیش از ۷ مجله علمی- پژوهشی دانشگاهی کشور
- ۱۴- داور بیش از ۱۷ عنوان از نشریات علمی- پژوهشی بین المللی یا داخلی کشور
- ۱۵- ریاست، دبیر یا عضو کمیته های علمی یا اجرایی بیش از ۶۰ همایش داخلی و بین المللی
- ۱۶- دریافت بیش از ۱۰۰ تقدیر نامه با عناوین استاد نمونه، مدیر نمونه، پژوهشگر نمونه و عناوین مشابه آکادمیک و اقدامات اجرایی بویژه در عرصه های فن آوری، آموزش، سلامت و اجرایی از جمله مشارکت در تدوین سند جامع راهبرد ملی زیست فناوری کشور (سال ۱۳۸۲).

مقالات:

1. Breast cancer targeted/therapeutic with double and triple fusion Immunotoxins
Goleij Z, Hosseini HM, Sedighian H, Behzadi E, Halabian R, **Sorouri R**, Fooladi AA.
Breast cancer targeted/therapeutic with double and triple fusion Immunotoxins. The
Journal of Steroid Biochemistry and Molecular Biology. Jun. 2020. 1; 200:105651.
2. Characteristics of Neisseria Species Colonized in the Human's Nasopharynx
Tavana AM, Ataee RA, Jonaidi N, **Sorouri R**. Characteristics of Neisseria Species
Colonized in the Human's Nasopharynx. Jundishapur Journal of Microbiology. 2020;
13(6):11.
3. Characteristics of Neisseria species colonized in the human's nasopharynx,
Jundishapur J. Microbiol. 2020; 13 (6): 1 [e99915]-11
Tavana AM, Ataee RA, Jonaidi N, **Sorouri R**. Characteristics of Neisseria species
colonized in the human's nasopharynx, Jundishapur J. Microbiol. 2020; 13 (6): 1
[e99915]-11.
4. The prevalence of virB2 and 16SrRNA genes of Brucella isolated from clinical samples
of hospitals, western Iran
Sorouri R, Khadamoradi S, Khaledi A, Abadi AH, Esmaili D. The prevalence of virB2
and 16SrRNA genes of Brucella isolated from clinical samples of hospitals, western

Iran. Iranian journal of public health. Sep. 2018; 47(9):1438.

5. Presenting a rapid method for detection of *Bacillus cereus*, *Listeria monocytogenes* and *Campylobacter jejuni* in food samples
Razei A, **Sorouri R**, Mousavi SL, Nazarian S, Amani J, Aghamollaei H. Presenting a rapid method for detection of *Bacillus cereus*, *Listeria monocytogenes* and *Campylobacter jejuni* in food samples. Iranian journal of basic medical sciences. Sep. 2017; 20(9):1050.
6. Rapid detection of *Campylobacter jejuni* by polymerase chain reaction and evaluation of its sensitivity and specificity
Razei A, **Sorouri RA**, Aghamollaei HO, Mousavi SL. Rapid detection of *Campylobacter jejuni* by polymerase chain reaction and evaluation of its sensitivity and specificity. Avicenna Journal of Clinical Medicine. Jun. 2017 15; 24(1):56-62.
7. Fabrication of a Novel Highly Sensitive and Selective Immunosensor for Botulinum Neurotoxin Serotype A Based on an Effective Platform of Electrosynthesized Gold Nanodendrites/Chitosan Nanoparticles
Sorouri R, Bagheri H, Afkhami A, Salimian J. Fabrication of a novel highly sensitive and selective immunosensor for botulinum neurotoxin serotype A based on an effective platform of electrosynthesized gold nanodendrites/chitosan nanoparticles. Sensors. May 2017; 17(5):1074.
8. Molecular epidemiology of extended-spectrum beta-lactamase-producing *Klebsiella pneumoniae* strains isolated from children with urinary tract infections
Ranjbar R, Memariani H, **Sorouri R**. Molecular epidemiology of extended-spectrum beta-lactamase-producing *Klebsiella pneumoniae* strains isolated from children with urinary tract infections. Archives of Pediatric Infectious Diseases. 2017; 5(2):7.
9. Distribution of virulence genes and genotyping of CTX-M-15-producing *Klebsiella pneumoniae* isolated from patients with community-acquired urinary tract infection (CA-UTI)
Ranjbar R, Memariani H, **Sorouri R**, Memariani M. Distribution of virulence genes and genotyping of CTX-M-15-producing *Klebsiella pneumoniae* isolated from patients with community-acquired urinary tract infection (CA-UTI). Microbial pathogenesis. Nov. 2016 1; 100:244-9.
10. Prevalence of Cep gene of *Brucella* isolated from clinical specimens in hospitals from Kermanshah of Iran
Sorouri R, Khodamoradi S, Khaledi A, Esmaili D. Prevalence of Cep gene of *Brucella* isolated from clinical specimens in hospitals from Kermanshah of Iran. Journal of Pure and Applied Microbiology. Sep. 2016 1; 10(3):1871-5.
11. Comparison of the application of allogeneic fibroblast and autologous mesh grafting

with the conventional method in the treatment of third-degree burns
Moravvej H, Hormozi AK, Hosseini SN, **Sorouri R**, Mozafari N, Ghazisaidi MR, Rad MM, Moghimi MH, Sadeghi SM, Mirzadeh H. Comparison of the application of allogeneic fibroblast and autologous mesh grafting with the conventional method in the treatment of third-degree burns. *Journal of Burn Care & Research*. Jan. 2016 1; 37(1):e90-5.

12. **Sorouri R**, Zanjani MH, Hajkarim B, Mousavinasab N, Noori M, Sobhani V. Prevalence of Hepatitis B, Hepatitis C and HIV and Related Risk Factors in Contact Sportsmen in Zanjan: A Letter to Editor. *Hepatitis monthly*. Tehran, Iran. Oct. 2015; 15(10).
13. Isolation and characterization of *Borrelia burgdorferi* strains from *Ixodes ricinus* ticks in the southern England
Sorouri R, Ramazani A, Karami A, Ranjbar R, Guy EC. Isolation and characterization of *Borrelia burgdorferi* strains from *Ixodes ricinus* ticks in the southern England. *BiolImpacts: BI*. 2015; 5(2):71.
14. Molecular detection of *Brucella* species in patients suspicious of Brucellosis from Zanjan, Iran
Garshasbi M, Ramazani A, **Sorouri R**, Javani S, Moradi S. Molecular detection of *Brucella* species in patients suspicious of Brucellosis from Zanjan, Iran. *Brazilian Journal of Microbiology*. Jun. 2014; 45(2):533-8.
15. Detection of Brucellosis in high risk individuals referred to medical diagnostic centers in Khodabandeh city with using PCR
Garshasbi M, **Sorouri R**, Ramazani A, Javani S, Moradi S. Detection of Brucellosis in high risk individuals referred to medical diagnostic centers in Khodabandeh city with using PCR. Aug. 2014. *Brazilian Journal of Microbiology* 45(2):533-8
16. Screening for antibacterial activity of *Streptomyces* species isolated from Zanjan province, Iran
Ramazani A, Moradi S, **Sorouri R**, Javani S, Garshasbi M. Screening for antibacterial activity of *Streptomyces* species isolated from Zanjan province, Iran. *Int J Pharm Chem Biol Sci*. Apr. 2013; 3(2):342-9.
17. Study the genes encoding aminoglycoside-modifying enzymes among clinical isolates of methicillin resistance *Staphylococcus aureus*
Ramazani A, Shokravi Z, Mehrad L, **Sorouri R**, Amirmoghaddami H. The 6th International & 11th National Congress on Quality Improvement in Clinical Laboratory. Apr. 2013. 20-23.
18. Hepatitis E virus seroprevalence in haemodialysis patients in Zanjan Province, Islamic Republic of Iran
Mobaien AR, Mohammadi R, **Sorouri R**, Sadeghi K. Hepatitis E virus seroprevalence in

haemodialysis patients in Zanjan Province, Islamic Republic of Iran. EMHJ-Eastern Mediterranean Health Journal, 2013 19 (7), 608-612, 2013.

19. **Sorouri** Zanjani R, Kosarieh E, Rastgar M, Vakili MM. Survey on Knowledge of Zanjan Dentists about radiographic Prescriptions. Journal of Medical Education Development. 2012; 2(2)
20. Comparison of seropositivity of HCV between oral lichen planus and healthy control group in Hamedan province (west of Iran)
Ansar A, Zamanian A, Farschian M, **Sorouri R**, Mobaien AR. Porównanie seropozytywnych HCV między pacjentami z liszajem płaskim jamy ustnej a zdrową kontrolną grupą z prowincji Hamedan (zachodni Iran). Our Dermatology Online. Oct. 2011. 1; 2(4):181.
21. Comparison of seropositivity of HCV between oral lichen planus and healthy control group in Hamedan province (west of Iran)
Ansar A, Zamanian A, Farschian M, **Sorouri R**, Mobaien AR. Comparison of seropositivity of HCV between oral lichen planus and healthy control group in Hamedan province (west of Iran). Our Dermatol Online. 2011; 2(4):181.
22. Molecular characterization of Bruton's tyrosine kinase deficiency in 12 Iranian patients with presumed X-linked agammaglobulinemia
Nasseri S, **Sorouri R**, Pourpak Z, Yeganeh M, Aghamohammadi A, Fiorini M, Shahkarami S, Mosallaei M, Rezaei N, Parvaneh N. Molecular characterization of Bruton's tyrosine kinase deficiency in 12 Iranian patients with presumed X-linked agammaglobulinemia. Journal of investigational allergology & clinical immunology. Jan. 2011. 1; 21 (7):572-4.
23. Mehdi Dadashpour, Iraj Rasooli, **Rahim Sorouri** Zanjani, Fatemeh Sefidkon, Massoud Taghizadeh, Shakiba Darvish Alipour Astaneh. Nitric oxide radical scavenging and cytotoxic properties of Thymus daenensis essential oil, Volume 14, Number4 1, Page 37-47 (11), Jan. 2011
24. Mehdi Dadashpour; Iraj Rasooli*; **Rahim Sorouri** Zanjani; Fatemeh Sefidkon; Massoud Taghizadeh; Shakiba Darvish Alipour Astaneh. Antimicrobial, nitric oxide radical scavenging and cytotoxic properties of Thymus daenensis essential oil, Volume 14, Number 1, Page 37-47 (11), Jan. 2011
25. **Sorouri** Zanjani R, Mir-Esmaili S.M, Latifi A.M. Valipour E, Isolation and identification of a type strain bacteria with the highest ability to produce organophosphorus acid anhydrase. The Journal of Mazandaran University of Medical Sciences. 2009; 18 (68)
26. Prevalence of Ureaplasma urealyticum and Ureaplasma parvum in semen of infertile

and healthy men

Zeighami H, Peerayeh SN, Yazdi RS, **Sorouri R**. Prevalence of *Ureaplasma urealyticum* and *Ureaplasma parvum* in semen of infertile and healthy men. *International journal of STD & AIDS*. Jun. 2009; 20(6):387-90.

27. Rapid detection of *Borrelia burgdorferi* strains by nested polymerase chain reaction
Sorouri R, Ranjbar R, Karami A. Rapid detection of *Borrelia burgdorferi* strains by nested polymerase chain reaction. *Pakistan Journal of Biological Sciences: PJBS*. Mar. 2009. 1; 12(5):463-6.
28. Evaluation of LAMP (loop-mediated isothermal dna amplification) for molecular detection of salmonella
KARAMI A, MORADI A, **Sorouri R**, AHMADI Z. Evaluation of LAMP (loop-mediated isothermal dna amplification) for molecular detection of salmonella. *Fall 2009* , 17(3): 1-9
29. Use of a MAMA-PCR Method to detect *gyrA* Mutations in Nalidixic Acid-Resistant Clinical Isolates of *Escherichia coli*
Karami A, Naghavi KH, **Sorouri R**, Ranjbar RE, KHALIL PA. Use of a MAMA-PCR method to detect *GyrA* mutations in nalidixic acid resistant clinical isolates of *Escherichia coli*. 2008 , 37(1): 42 - 47
30. Production of full length and splicing form of chymosin using pETexpression system in E-coli and investigation its enzyme activity and preplasmic secretion
Ahmadi Zeydabadi M, Ahmadian G, **Sorouri R**. Production of full length and splicing form of chymosin using pETexpression system in E-coli and investigation its enzyme activity and preplasmic secretion. *Koomesh*. May 2008 10;9(3):187-94.
31. Use of a MAMA-PCR method to detect *GyrA* mutations in nalidixic acid resistant clinical isolates of *Escherichia coli*
Karami A, Naghavi KH, **Sorouri R**, Ranjbar RE, KHALIL PA. Use of a MAMA-PCR method to detect *GyrA* mutations in nalidixic acid resistant clinical isolates of *Escherichia coli*. (2008): 42-47
32. A. Karami, KH naghavi, **R. Sorouri**, R. Ranjbar & A. Khalilpour. Use of a MAMA-PCR method to detect *gyr* mutation in nalidixic acid-resistant clinical isolate of *E. coli*. *Iranian Journal of Public health*. Volume 1. Tehran, Iran. Dec. 2008
33. F. Sharifi, SN. Mousavinasab, **R. Sorouri**, M. Saeini & M. Dinmohamadi. High prevalence of low high-density lipoprotein cholesterol concentration and other dyslipidemic phenotypes in an Iranian population. *Metabolic syndrome & Related Disorders*. USA, 2008.
34. Polymorphism survey of *Btk* gene promoter and *Tec* intron1 regions to find any

genotype/phenotype correlation in Iranian XLA patients

Aghamohammadi A, Naseri S, Teimourian S, Pourpak Z, Yeganeh M, **Sorouri R**. Polymorphism survey of Btk gene promoter and Tec intron1 regions to find any genotype/phenotype correlation in Iranian XLA patients. In ALLERGY, Jun. 2007 (Vol. 62, pp. 484-484).

35. Molecular Survey of Nalidixic Acid Resistance E. coli Isolated from Patients with Urinary Tract Infection in Baqiyatallah Hospital
Jonaidi N, Karami A, **Sorouri R**, Safiri Z, Dalili R. Molecular Survey of Nalidixic Acid Resistance E. coli Isolated from Patients with Urinary Tract Infection in Baqiyatallah Hospital. Journal Mil Med. Oct. 2006 19; 8(3):191-6.
36. M. Amoli, R. Mousavizadeh, **R. Sorouri**, M. Rahmani and B. Larijani. Curcumin inhibits in vitro MCP-1 release from mouse pancreatic islets. Transplantation Proceedings. Volume 38, NY, USA Aug. 2006
37. Rapid detection of toxigenic vibrio cholera O1 using PCR-ENZYME-LINKED immunosorbent assay (PCR-ELISA)
Ahmadi S, Mousavi ML, **Sorouri R**, Salimian J, Karimi A, NAZARIAN S, Amani J. Rapid detection of toxigenic vibrio cholera O1 using PCR-ENZYME-LINKED immunosorbent assay (PCR-ELISA). Spring 2006 , 11(1):41 – 50
38. E. Guy, I. Ferguson, **R. Sorouri-Zanjani** and S O'Connel. Serodiagnosis of Lyme disease in the United Kingdom. Annals of the Rheumatic Disease. Volume 52. London, UK. May 1993.
39. S O' Connel, **R. Sorouri-Zanjani**, J White and E. Guy. Lyme Disease: Experience in an endemic area. British Journal of Dermatology. Volume 40. London UK, Jul. 1992.